



Product Service

Attestation of Conformity

No. N8A 094747 0046 Rev. 01

Holder of Attestation: **Xinsu Global Electronic Co., Limited**

Unit 2508A, 25/F Bank Of America Tower, 12 Harcourt Road
Central
HONG KONG

Product:

**Adaptors
(SWITCHING POWER SUPPLY)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.:

652502002002

Date,

2025-07-08

(Michael Xu)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 094747 0046 Rev. 01

Model(s): XSGxxxxxyyyzz L3, XSGxxxxxyyy L3, XSExxxxxyyy L3, XSExxxxxyyyzz L3, XSECxxxxxyyyzz L3, XSECxxxxxyyy L3
(xxx=042-480, indicates rated output voltage from 4.2VDC to 48.0VDC; yyyy=0010-4000, indicates rated output current from 0.01A to 4.0A; zz= EU or UK, indicates different mains plug; EU=European plug, UK=Britain plug)

Brand: Xinsu Global



Parameters:

Rated Input: 100-240VAC, 50/60Hz, 0.6A Max

Rated Output: See below table for details

Protection Class: II

Degree of Protection: IP20

Model	Rated output voltage (VDC)	Rated output current (A)	Max. rated output power (W)
XSGxxxxxyyyzz L3, XSGxxxxxyyy L3, XSExxxxxyyy L3, XSExxxxxyyyzz L3, XSECxxxxxyyyzz L3, XSECxxxxxyyy L3	4.2-6.9	0.01-4.00	20.0
	7.0-9.0	0.01-3.00	22.5
	9.1-12.0	0.01-2.50	30.0
	12.1-12.6	0.01-2.47	30.0
	12.7-17.0	0.01-2.34	30.0
	17.1-20.0	0.01-1.50	30.0
	21.0-36.0	0.01-1.42	30.0
	36.1-48.0	0.01-0.80	30.0

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 094747 0046 Rev. 01

**Tested
according to:**

EN IEC 61558-1:2019
 EN 61558-2-16:2009/A1:2013
 EN 62368-1:2014/A11:2017
 EN 60335-1:2012/A16:2023
 EN 62233:2008

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.