

Attestation of Conformity

No. N8A 094747 0135 Rev. 00

Holder of Attestation: Xinsu Global Electronic Co., Limited

Unit 2508A, 25/F Bank Of America Tower, 12 Harcourt Road

Central HONG KONG

Product: Switching power supply unit

(SWITCHING POWER SUPPLY/CHARGER)

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 652102300301

Date, 2023-03-14

(Rickyet Wang)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.





Attestation of Conformity

No. N8A 094747 0135 Rev. 00

Model(s): XSGxxxyyyyy, XSGxxxyyyyyzz, XSExxxyyyyy,

XSExxxyyyyyzz, XSECxxxyyyyy, XSECxxxyyyyyzz,

XSGxxxyyyy, XSGxxxyyyyzz, XSExxxyyyy, XSExxxyyyyzz, XSECxxxyyyy, XSECxxxyyyzz

(See below table for details)

Brand: Xinsu Global



Parameters:

Rated Input: 100-240VAC, 50/60Hz, 3.0A Max Rated Output: See below table for details

Protection Class: II

Degree of Protection: IP20

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.





Attestation of Conformity

No. N8A 094747 0135 Rev. 00

Model Name	Rated output voltage range (VDC)	Rated output current range (A)	Max. rated output power (W)
XSGxxxyyyyy, XSGxxxyyyyyzz, XSExxxyyyyyzz, XSExxxyyyyyzz, XSECxxxyyyyy, XSECxxxyyyyyzz	4.2-9.0	10.0	90.0
	9.1-14.6	10.0-11.0	160.6
	14.7-17.0	10.0	170.0
	17.1-19.0	10.0	190.0

Note:

xxx=042-190, which denotes the rated output voltage from 4.2VDC to 19.0VDC;

yyyyy=10000-11000, which denotes the rated output current from 10.0A to 11.0A;

zz=EU, UK, which denotes the different plug and supply cord type, EU means European plug and supply cord type, UK means British plug and supply cord type.

Model Name	Rated output voltage range (VDC)	Rated output current range (A)	Max. rated output power (W)
XSGxxxyyyy, XSGxxxyyyyzz, XSExxxyyyy, XSExxxyyyyzz, XSECxxxyyyy, XSECxxxyyyyzz	4.2-9.0	0.30-9.999	90.0
	9.1-14.6	0.30-9.999	146.0
	14.7-17.0	0.30-9.999	170.0
	17.1-19.0	0.30-9.999	190.0
	19.1-22.0	0.30-9.500	190.0
	22.1-32.0	0.30-8.500	205.8
	32.1-36.5	0.30-6.000	219.0
	36.6-57.9	0.30-5.000	210.0
	58.0-58.8	0.30-3.600	210.2
	58.9-73.0	0.30-3.400	204.0

Note

xxx=042-730, which denotes the rated output voltage from 4.2VDC to 73.0VDC; yyyy=0300-9999, which denotes the rated output current from 0.30A to 9.999A;

zz=EU, UK, which denotes the different plug and supply cord type, EU means European plug and supply cord type, UK means British plug and supply cord type.

Tested according to:

EN 62368-1:2014/A11:2017

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



