



Proof of RCM Compliance

Cert.No.: POC22062509

Date of issue: 22-Jun-2022

Certificate Holder: Xinsu Global Electronic Co., Limited
Address: Unit 2508A, 25/F Bank Of America Tower, 12 Harcourt Road, Central, HONG KONG

Product Description: CHARGER(BATTERY CHARGER)
Brand/Trade Name: Xinsu Global Electronic Co., Limited
Model Number: XSG0428000
Refer to model list

Electrical Ratings: Input:100-240VAC, 50/60Hz, 3.0A Max.
Output:Refer to model list

AusRCM Compliance certifies that the Electrical/Electronic Article(s) as described above meets the requirements of the standard(s) listed below;

Compliance for: **Evidenced by:**

ACMA mandated
standards –eg.EMC

Test report and Declaration of Conformity
AS/NZS CISPR 14.1:2021

Electrical Safety
Standard(s):

Test report and Certificate of Conformity
AS/NZS 60335.2.29:2017 including A1; AS/NZS 60335.1:2020
GMA-512631-EA Rev01
Date of Expire: 9-Jun-2027

EESS- National
Equipment Database
registration

Checked above model number(s) being registered as
LEVEL 3 product on
<https://equipment.era.gov.au/Registration/EquipmentSearch.aspx?atn=public>

As of above, the Applicable Compliance mark shall be:




On Behalf of AusRCM Compliance

Suite 206, 585 Little Collins Street, Melbourne ,VIC, 3000, Australia.



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG0428000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 8A, 33.6W,
XSG0425000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 5A, 21W,
XSG0426000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 6A, 25.2W,
XSG0427000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 7A, 29.4W,
XSG0428500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 8.5A, 35.7W,
XSG0429000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 9A, 37.8W,
XSG0429500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 9.5A, 39.9W,
XSG04210000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:4.2Vdc, 10A, 42W,
XSG0507000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 7A, 35W,
XSG0508000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 8A, 40W,
XSG0508500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 8.5A, 42.5W,
XSG0509000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 9A, 45W,
XSG0509500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 9.5A, 47.5W,
XSG05010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:5Vdc, 10A, 50W,
XSG0738000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 8A, 58.4W,
XSG0738500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 8.5A, 62.05W,
XSG0739000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 9A, 65.7W,
XSG0739500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 9.5A, 69.35W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG07310000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:7.3Vdc, 10A, 73W,
XSG0843000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 3A, 25.2W,
XSG0844000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 4A, 33.6W,
XSG0845000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 5A, 42W,
XSG0846000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 6A, 50.4W,
XSG0847000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 7A, 58.8W,
XSG0848000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 8A, 67.2W,
XSG0848500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 8.5A, 71.4W,
XSG0849000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 9A, 75.6W,
XSG0849500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 9.5A, 79.8W,
XSG08410000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:8.4Vdc, 10A, 84W,
XSG1106000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 6A, 66W,
XSG1107000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 7A, 77W,
XSG1108000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 8A, 88W,
XSG1108500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 8.5A, 93.5W,
XSG1109000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 9A, 99W,
XSG1109500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 9.5A, 104.5W,
XSG11010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 10A, 110W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG11010500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 10.5A, 115.5W,
XSG11011000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:11Vdc, 11A, 121W,
XSG1263000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 3A, 37.8W,
XSG1264000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 4A, 50.4W,
XSG1265000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 5A, 63W,
XSG1265500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 5.5A, 69.3W,
XSG1266000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 6A, 75.6W,
XSG1266500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 6.5A, 81.9W,
XSG1267000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 7A, 88.2W,
XSG1267500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 7.5A, 94.5W,
XSG1268000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 8A, 100.8W,
XSG1268500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 8.5A, 107.1W,
XSG1269000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 9A, 113.4W,
XSG1269500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 9.5A, 119.7W,
XSG12610000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 10A, 126W,
XSG12610500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 10.5A, 132.3W,
XSG12611000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:12.6Vdc, 11A, 138.6W,
XSG1384000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 4A, 55.2W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG1385000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 5A, 69W,
XSG1388000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 8A, 110.4W,
XSG1389000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 9A, 124.2W,
XSG13810000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 10A, 138W,
XSG13810500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 10.5A, 144.9W,
XSG13811000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:13.8Vdc, 11A, 151.8W,
XSG1463000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 3A, 43.8W,
XSG1464000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 4A, 58.4W,
XSG1465000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 5A, 73W,
XSG1466000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 6A, 87.6W,
XSG1466500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 6.5A, 94.9W,
XSG1467000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 7A, 102.2W,
XSG1467500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 7.5A, 109.5W,
XSG1468000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 8A, 116.8W,
XSG1468500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 8.5A, 124.1W,
XSG1469000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 9A, 131.4W,
XSG1469500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 9.5A, 138.7W,
XSG14610000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 10A, 146W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG14610500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 10.5A, 153.3W,
XSG14611000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:14.6Vdc, 11A, 160.6W,
XSG1505000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 5A, 75W,
XSG1506000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 6A, 90W,
XSG1507000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 7A, 105W,
XSG1507500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 7.5A, 112.5W,
XSG1508000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 8A, 120W,
XSG1508500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 8.5A, 127.5W,
XSG1509000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 9A, 135W,
XSG1509500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 9.5A, 142.5W,
XSG15010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:15Vdc, 10A, 150W,
XSG1683500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 3.5A, 58.8W,
XSG1684000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 4A, 67.2W,
XSG1685000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 5A, 84W,
XSG1686000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 6A, 100.8W,
XSG1686500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 6.5A, 109.2W,
XSG1687000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 7A, 117.6W,
XSG1687500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 7.5A, 126W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG1688000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 8A, 134.4W,
XSG1688500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 8.5A, 142.8W,
XSG1689000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 9A, 151.2W,
XSG1689500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 9.5A, 159.6W,
XSG16810000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:16.8Vdc, 10A, 168W,
XSG1707500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 7.5A, 127.5W,
XSG1708000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 8A, 136W,
XSG1708500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 8.5A, 144.5W,
XSG1709000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 9A, 153W,
XSG1709500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 9.5A, 161.5W,
XSG17010000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:17Vdc, 10A, 170W,
XSG1837000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 7A, 128.1W,
XSG1837500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 7.5A, 137.25W,
XSG1838000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 8A, 146.4W,
XSG1838500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 8.5A, 155.55W,
XSG1839000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 9A, 164.7W,
XSG1839500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 9.5A, 173.85W,
XSG18310000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:18.3Vdc, 10A, 183W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG2103000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 3A, 63W,
XSG2105000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 5A, 105W,
XSG2106000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 6A, 126W,
XSG2106500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 6.5A, 136.5W,
XSG2107000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 7A, 147W,
XSG2107500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 7.5A, 157.5W,
XSG2108000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 8A, 168W,
XSG2108500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 8.5A, 178.5W,
XSG2109000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:21Vdc, 9A, 189W,
XSG2205500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 5.5A, 121W,
XSG2206000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 6A, 132W,
XSG2206500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 6.5A, 143W,
XSG2207000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 7A, 154W,
XSG2207500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 7.5A, 165W,
XSG2208000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 8A, 176W,
XSG2208500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22Vdc, 8.5A, 187W,
XSG2255500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 5.5A, 123.75W,
XSG2256000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 6A, 135W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG2257000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 7A, 157.5W,
XSG2257500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 7.5A, 168.75W,
XSG2258000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 8A, 180W,
XSG2258500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:22.5Vdc, 8.5A, 191.25W,
XSG2522000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 2A, 50.4W,
XSG2522500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 2.5A, 63W,
XSG2523000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 3A, 75.6W,
XSG2524000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 4A, 100.8W,
XSG2525000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 5A, 126W,
XSG2525500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 5.5A, 138.6W,
XSG2526000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 6A, 151.2W,
XSG2526500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 6.5A, 163.8W,
XSG2527000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 7A, 176.4W,
XSG2527500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 7.5A, 189W,
XSG2528000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.2Vdc, 8A, 201.6W,
XSG2555000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 5A, 127.5W,
XSG2555500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 5.5A, 140.25W,
XSG2556000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 6A, 153W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG2556500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 6.5A, 165.75W,
XSG2557000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 7A, 178.5W,
XSG2557500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 7.5A, 191.25W,
XSG2558000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:25.5Vdc, 8A, 204W,
XSG2804500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 4.5A, 126W,
XSG2805000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 5A, 140W,
XSG2805500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 5.5A, 154W,
XSG2806000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 6A, 168W,
XSG2806500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 6.5A, 182W,
XSG2807000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 7A, 196W,
XSG2807350	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:28Vdc, 7.35A, 205.8W,
XSG2904500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 4.5A, 130.5W,
XSG2905000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 5A, 145W,
XSG2905500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 5.5A, 159.5W,
XSG2906000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 6A, 174W,
XSG2906500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 6.5A, 188.5W,
XSG2907000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29Vdc, 7A, 203W,
XSG2922000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 2A, 58.4W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG2922500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 2.5A, 73W,
XSG2923500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 3.5A, 102.2W,
XSG2924000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 4A, 116.8W,
XSG2924500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 4.5A, 131.4W,
XSG2925000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 5A, 146W,
XSG2925500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 5.5A, 160.6W,
XSG2926000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 6A, 175.2W,
XSG2926500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 6.5A, 189.8W,
XSG2927000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.2Vdc, 7A, 204.4W,
XSG2942000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 2A, 58.8W,
XSG2943500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 3.5A, 102.9W,
XSG2944000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 4A, 117.6W,
XSG2944500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 4.5A, 132.3W,
XSG2945000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 5A, 147W,
XSG2945500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 5.5A, 161.7W,
XSG2946000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 6A, 176.4W,
XSG2946500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 6.5A, 191.1W,
XSG2947000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:29.4Vdc, 7A, 205.8W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG3004500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 4.5A, 135W,
XSG3005000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 5A, 150W,
XSG3005500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 5.5A, 165W,
XSG3006000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 6A, 180W,
XSG3006500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:30Vdc, 6.5A, 195W,
XSG3284000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32.8Vdc, 4A, 131.2W,
XSG3284500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32.8Vdc, 4.5A, 147.6W,
XSG3285000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32.8Vdc, 5A, 164W,
XSG3285500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32.8Vdc, 5.5A, 180.4W,
XSG3286000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32.8Vdc, 6A, 196.8W,
XSG3286400	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:32.8Vdc, 6.4A, 209.9W,
XSG3362000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 2A, 67.2W,
XSG3364000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 4A, 134.4W,
XSG3364500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 4.5A, 151.2W,
XSG3365000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 5A, 168W,
XSG3365500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 5.5A, 184.8W,
XSG3366000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:33.6Vdc, 6A, 201.6W,
XSG3652000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 2A, 73W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG3653500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 3.5A, 127.75W,
XSG3654000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 4A, 146W,
XSG3654500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 4.5A, 164.25W,
XSG3655000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 5A, 182.5W,
XSG3655500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 5.5A, 200.75W,
XSG3656000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:36.5Vdc, 6A, 219W,
XSG3782000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 2A, 75.6W,
XSG3783000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 3.5A, 113.4W,
XSG3783500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 3.5A, 132.3W,
XSG3784000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 4A, 151.2W,
XSG3784500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 4.5A, 170.1W,
XSG3785000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:37.8Vdc, 5A, 189W,
XSG4023000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 3A, 120.6W,
XSG4023500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 3.5A, 140.7W,
XSG4024000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 4A, 160.8W,
XSG4024500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 4.5A, 180.9W,
XSG4025000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:40.2Vdc, 5A, 201W,
XSG4202000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 2A, 84W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG4203000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 3A, 126W,
XSG4203500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 3.5A, 147W,
XSG4204000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 4A, 168W,
XSG4204500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 4.5A, 189W,
XSG4205000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:42Vdc, 5A, 210W,
XSG4382000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 2A, 87.6W,
XSG4383000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 3A, 131.4W,
XSG4383500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 3.5A, 153.3W,
XSG4384000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 4A, 175.2W,
XSG4384500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:43.8Vdc, 4.5A, 197.1W,
XSG4621400	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 1.4A, 64.68W,
XSG4621500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 1.5A, 69.3W,
XSG4622000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 2A, 92.4W,
XSG4622500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 2.5A, 115.5W,
XSG4622750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 2.75A, 127.05W,
XSG4623000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 3A, 138.6W,
XSG4623500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 3.5A, 161.7W,
XSG4624000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:46.2Vdc, 4A, 184.8W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG4752750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 2.75A, 130.625W,
XSG4753000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 3A, 142.5W,
XSG4753500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 3.5A, 166.25W,
XSG4754000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:47.5Vdc, 4A, 190W,
XSG5041500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 1.5A, 75.6W,
XSG5042000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 2A, 100.8W,
XSG5042500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 2.5A, 126W,
XSG5042750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 2.75A, 138.6W,
XSG5043000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 3A, 151.2W,
XSG5043500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 3.5A, 176.4W,
XSG5044000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:50.4Vdc, 4A, 201.6W,
XSG5102500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 2.5A, 127.5W,
XSG5102750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 2.75A, 140.25W,
XSG5103000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 3A, 153W,
XSG5103250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 3.25A, 165.75W,
XSG5103500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 3.5A, 178.5W,
XSG5103750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 3.75A, 191.25W,
XSG5104000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51Vdc, 4A, 204W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG5111500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 2.5A, 76.65W,
XSG5112000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 2A, 102.2W,
XSG5112500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 2.5A, 127.75W,
XSG5112750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 2.75A, 140.525W,
XSG5113000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 3A, 153.3W,
XSG5113250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 3.25A, 166.075W,
XSG5113500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 3.5A, 178.85W,
XSG5113750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 3.75A, 191.625W,
XSG5114000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:51.1Vdc, 4A, 204.4W,
XSG5221000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 1.0A, 52.2W,
XSG5221500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 1.5A, 78.3W,
XSG5222000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 2.0A, 104.4W,
XSG5222500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 2.5A, 130.5W,
XSG5223000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 3A, 156.6W,
XSE5223500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 3.5A, 182.7W,
XSG5223500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 3.5A, 182.7W,
XSG5223750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:52.2Vdc, 3.75A, 195.8W,
XSG5462000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 2A, 109.2W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG5462500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 2.5A, 136.5W,
XSG5462750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 2.75A, 150.15W,
XSG5463000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3A, 163.8W,
XSG5463250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3.25A, 177.45W,
XSG5463500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3.5A, 191.1W,
XSG5463700	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3.7A, 202.02W,
XSG5463750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.6Vdc, 3.75A, 204.75W,
XSG5482000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 2.5A, 109.6W,
XSG5482500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 2.5A, 137W,
XSG5483000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 3A, 164.4W,
XSG5483250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 3.25A, 178.1W,
XSG5483500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 3.5A, 191.8W,
XSG5483750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:54.8Vdc, 3.75A, 205.5W,
XSG5842000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 2A, 116.8W,
XSG5842250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 2.25A, 131.4W,
XSG5842500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 2.5A, 146W,
XSG5842750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 2.75A, 160.6W,
XSG5843000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 3A, 175.2W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG5843250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 3.25A, 189.8W,
XSG5843500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 3.5A, 204.4W,
XSG5843600	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.4Vdc, 3.6A, 210.24W,
XSG5882000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 2A, 117.6W,
XSG5882250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 2.25A, 132.3W,
XSG5882500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 2.5A, 147W,
XSG5882750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 2.75A, 161.7W,
XSG5883000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 3A, 176.4W,
XSG5883250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 3.25A, 191.1W,
XSG5883500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:58.8Vdc, 3.5A, 205.8W,
XSG6202000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2A, 124W,
XSG6202250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2.25A, 139.5W,
XSG6202500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2.5A, 155W,
XSG6202750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 2.75A, 170.5W,
XSG6203000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 3A, 186W,
XSG6203250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:62Vdc, 3.25A, 201.5W,
XSG6302000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2A, 126W,
XSG6302250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2.25A, 141.75W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG6302500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2.5A, 157.5W,
XSG6302750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 2.75A, 173.25W,
XSG6303000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 3A, 189W,
XSG6303200	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:63Vdc, 3.2A, 201.6W,
XSG6572000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 2A, 131.4W,
XSG6572250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 2.25A, 147.825W,
XSG6572500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 2.5A, 164.25W,
XSG6572750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 2.75A, 180.675W,
XSG6573000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:65.7Vdc, 3A, 197.1W,
XSG6722000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 2A, 134.4W,
XSG6722250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 2.25A, 151.2W,
XSG6722500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 2.5A, 168W,
XSG6722750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 2.75A, 184.8W,
XSG6723000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:67.2Vdc, 3A, 201.6W,
XSG6941750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 1.75A, 121.45W,
XSG6942000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2A, 138.8W,
XSG6942250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2.25A, 156.15W,
XSG6942500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2.5A, 173.5W,



Proof of RCM Compliance

Cert.No.: POC22062509

Appendix -Model list

Model	Rating
XSG6942750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2.75A, 190.85W,
XSG6942900	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:69.4Vdc, 2.9A, 201.26W,
XSG7141750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 1.75A, 124.95W,
XSG7142000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 2A, 142.8W,
XSG7142250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 2.25A, 160.65W,
XSG7142500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 2.5A, 178.5W,
XSG7142750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:71.4Vdc, 2.75A, 196.35W,
XSG7301750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 1.75A, 127.75W,
XSG7302000	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 2A, 146W,
XSG7302250	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 2.25A, 164.25W,
XSG7302500	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 2.5A, 182.5W,
XSG7302750	Input:100-240VAC, 50/60Hz, 3.0A Max. Output:73Vdc, 2.75A, 200.75W,