



Proof of RCM Compliance

Cert.No.: POC23024623

Date of issue: 23-Feb-2023

Certificate Holder: Xinsu Global Electronic Co., Limited
Address: Unit 2508A, 25/F Bank Of America Tower, 12 Harcourt Road, Central, HONG KONG

Product Description: Switching Power Supply/Charger
Brand/Trade Name: Xinsu Global Electronic Co., Limited
Model Number: XSG12012500
Refer to model list

Electrical Ratings: Input:100-240VAC, 50/60Hz, 5.0A Max.
Output:Refer to model list

AusRCM Compliance certifies that the Electrical/Electronic Article(s) as described above meets the requirements of the standard(s) listed below;

Compliance for: **Evidenced by:**

ACMA mandated standards –eg.EMC

Test report and Declaration of Conformity
EN 55032:2015+A1:2020;EN 55035:2017+A11:2020;
EN IEC 61000-3-2:2019+A1:2021;
EN 61000-3-3:2013+A1:2019+A2:2021;

Electrical Safety Standard(s):

Certificate of Conformity
AS/NZS 62368.1:2022; AS/NZS 3112:2017 App J including A1
GMA-514887-EA
Date of Expire: 21-Feb-2028

EESS- National Equipment Database registration

Checked above model number(s) being registered as
LEVEL 3 product on
<https://equipment.erac.gov.au/Registration/EquipmentSearch.aspx?atn=public>

As of above, the Applicable Compliance mark shall be:




On behalf of AusRCM Compliance

Suite 206, 585 Little Collins Street, Melbourne ,VIC, 3000, Australia.



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG12012500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.0Vdc, 12.5A, 150.0W,
XSG12015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.0Vdc, 15.0A, 180.0W,
XSG12018000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.0Vdc, 18.0A, 216.0W,
XSG12020000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.0Vdc, 20.0A, 240.0W,
XSG12610000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.6Vdc, 10.0A, 126.0W,
XSG12612500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.6Vdc, 12.5A, 157.5W,
XSG12615000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.6Vdc, 15.0A, 189.0W,
XSG12618000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.6Vdc, 18.0A, 226.8W,
XSG12620000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:12.6Vdc, 20.0A, 252.0W,
XSG13810000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:13.8Vdc, 10.0A, 138.0W,
XSG13812500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:13.8Vdc, 12.5A, 172.5W,
XSG13815000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:13.8Vdc, 15.0A, 207.0W,
XSG13818000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:13.8Vdc, 18.0A, 248.4W,
XSG13820000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:13.8Vdc, 20.0A, 276.0W,
XSG14615000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:14.6Vdc, 15.0A, 219.0W,
XSG14618000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:14.6Vdc, 18.0A, 262.8W,
XSG14620000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:14.6Vdc, 20.0A, 292.0W,
XSG15015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:15.0Vdc, 15.0A, 225.0W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG15017500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:15.0Vdc, 17.5A, 262.5W,
XSG15019465	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:15.0Vdc, 19.465A, 291.975W,
XSG16815000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:16.8Vdc, 15.0A, 252.0W,
XSG16817300	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:16.8Vdc, 17.3A, 290.6W,
XSG16918000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:16.9Vdc, 18.0A, 304.2W,
XSG18012500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:18.0Vdc, 12.5A, 225.0W,
XSG18015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:18.0Vdc, 15.0A, 270.0W,
XSG18016660	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:18.0Vdc, 16.66A, 299.88W,
XSG18018330	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:18.0Vdc, 18.3A, 330.0W,
XSG19012000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.0Vdc, 12.0A, 228.0W,
XSG19012500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.0Vdc, 12.5A, 237.5W,
XSG19015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.0Vdc, 15.0A, 285.0W,
XSG19015790	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.0Vdc, 15.79A, 300.0W,
XSG19017360	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.0Vdc, 17.36A, 330.0W,
XSG19512310	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.5Vdc, 12.31A, 240.0W,
XSG19516900	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.5Vdc, 16.90A, 329.55W,
XSG19516920	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:19.5Vdc, 16.92A, 330.0W,
XSG20010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:20.0Vdc, 10.0A, 200.0W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG20015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:20.0Vdc, 15.0A, 300.0W,
XSG20016500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:20.0Vdc, 16.5A, 330.0W,
XSG21010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:21.0Vdc, 10.0A, 210.0W,
XSG21015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:21.0Vdc, 15.0A, 315.0W,
XSG24010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:24.0Vdc, 10.0A, 240.0W,
XSG24012000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:24.0Vdc, 12.0A, 288.0W,
XSG24012500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:24.0Vdc, 12.5A, 300.0W,
XSG24015000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:24.0Vdc, 15.0A, 360.0W,
XSG2528000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.2Vdc, 8.0A, 201.6W,
XSG2529000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.2Vdc, 9.0A, 226.8W,
XSG25210000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.2Vdc, 10.0A, 252.0W,
XSG25212500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.2Vdc, 12.5A, 315.0W,
XSG25215000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.2Vdc, 15.0A, 378.0W,
XSG2558000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.5Vdc, 8.0A, 204.0W,
XSG2559000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.5Vdc, 9.0A, 229.5W,
XSG25510000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.5Vdc, 10.0A, 255.0W,
XSG25512000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.5Vdc, 12.0A, 306.0W,
XSG25512500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.5Vdc, 12.5A, 318.8W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG25514800	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:25.5Vdc, 14.8A, 377.4W,
XSG2608000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:26.0Vdc, 8.0A, 208.0W,
XSG2609000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:26.0Vdc, 9.0A, 234.0W,
XSG26010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:26.0Vdc, 10.0A, 260.0W,
XSG26012000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:26.0Vdc, 12.0A, 312.0W,
XSG26012500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:26.0Vdc, 12.5A, 325.0W,
XSG26014500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:26.0Vdc, 14.5A, 377W,
XSG2808000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:28.0Vdc, 8.0A, 224.0W,
XSG28010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:28.0Vdc, 10.0A, 280.0W,
XSG28012000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:28.0Vdc, 12.0A, 336.0W,
XSG2928000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.2Vdc, 8.0A, 233.6W,
XSG29210000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.2Vdc, 10.0A, 292.0W,
XSG29212000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.2Vdc, 12.0A, 350.4W,
XSG2947000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.4Vdc, 7.0A, 205.8W,
XSG2948000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.4Vdc, 8.0A, 235.2W,
XSG29410000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.4Vdc, 10.0A, 294.0W,
XSG29412000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:29.4Vdc, 12.0A, 352.8W,
XSG3007000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:30.0Vdc, 7.0A, 210.0W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG3008000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:30.0Vdc, 8.0A, 240.0W,
XSG30010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:30.0Vdc, 10.0A, 300.0W,
XSG30012000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:30.0Vdc, 12.0A, 360.0W,
XSG3287000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:32.8Vdc, 7.0A, 229.6W,
XSG3288000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:32.8Vdc, 8.0A, 262.4W,
XSG32810000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:32.8Vdc, 10.0A, 328.0W,
XSG3367000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:33.6Vdc, 7.0A, 235.2W,
XSG3368000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:33.6Vdc, 8.0A, 268.8W,
XSG33610000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:33.6Vdc, 10.0A, 336.0W,
XSG3606000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.0Vdc, 6.0A, 216.0W,
XSG3607000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.0Vdc, 7.0A, 252.0W,
XSG3608000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.0Vdc, 8.0A, 288.0W,
XSG36010000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.0Vdc, 10.0A, 360.0W,
XSG3656000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.5Vdc, 6.0A, 219.0W,
XSG3657000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.5Vdc, 7.0A, 255.5W,
XSG3658000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.5Vdc, 8.0A, 292.0W,
XSG36510000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:36.5Vdc, 10.0A, 365.0W,
XSG3786000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:37.8Vdc, 6.0A, 226.8W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG3787000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:37.8Vdc, 7.0A, 264.6W,
XSG3788000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:37.8Vdc, 8.0A, 302.4W,
XSG37810000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:37.8Vdc, 10.0A, 378.0W,
XSG3806000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:38.0Vdc, 6.0A, 228.0W,
XSG3807000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:38.0Vdc, 7.0A, 266.0W,
XSG3808000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:38.0Vdc, 8.0A, 304.0W,
XSG3809500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:38.0Vdc, 9.5A, 361.0W,
XSG4026000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:40.2Vdc, 6.0A, 241.2W,
XSG4027000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:40.2Vdc, 7.0A, 281.4W,
XSG4028000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:40.2Vdc, 8.0A, 321.6W,
XSG4029000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:40.2Vdc, 9.0A, 361.8W,
XSG4206000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:42.0Vdc, 6.0A, 252.0W,
XSG4207000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:42.0Vdc, 7.0A, 294.0W,
XSG4208000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:42.0Vdc, 8.0A, 336.0W,
XSG4208500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:42.0Vdc, 8.5A, 357.0W,
XSG4385000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:43.8Vdc, 5.0A, 219.0W,
XSG4386000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:43.8Vdc, 6.0A, 262.8W,
XSG4387000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:43.8Vdc, 7.0A, 306.6W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG4388000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:43.8Vdc, 8.0A, 350.4W,
XSG4505000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:45.0Vdc, 5.0A, 225.0W,
XSG4506000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:45.0Vdc, 6.0A, 270.0W,
XSG4507000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:45.0Vdc, 7.0A, 315.0W,
XSG4508000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:45.0Vdc, 8.0A, 360.0W,
XSG4625000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:46.2Vdc, 5.0A, 231.0W,
XSG4626000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:46.2Vdc, 6.0A, 277.2W,
XSG4627000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:46.2Vdc, 7.0A, 323.4W,
XSG4627500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:46.2Vdc, 7.5A, 346.5W,
XSG4755000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:47.5Vdc, 5.0A, 237.5W,
XSG4756000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:47.5Vdc, 6.0A, 285.0W,
XSG4757000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:47.5Vdc, 7.0A, 332.5W,
XSG4805000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:48.0Vdc, 5.0A, 240.0W,
XSG4806000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:48.0Vdc, 6.0A, 288.0W,
XSG4806250	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:48.0Vdc, 6.25A, 300.0W,
XSG4807000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:48.0Vdc, 7.0A, 329.0W,
XSG4807500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:48.0Vdc, 7.5A, 360.0W,
XSG5044000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:50.4Vdc, 4.0A, 201.6W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG5045000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:50.4Vdc, 5.0A, 252.0W,
XSG5046000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:50.4Vdc, 6.0A, 302.4W,
XSG5047143	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:50.4Vdc, 7.143A, 360.0W,
XSG5104000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:51.0Vdc, 4.0A, 204.0W,
XSG5105000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:51.0Vdc, 5.0A, 255.0W,
XSG5106000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:51.0Vdc, 6.0A, 306.0W,
XSG5107000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:51.0Vdc, 7.0A, 357.0W,
XSG5224000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:52.2Vdc, 4.0A, 208.8W,
XSG5225000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:52.2Vdc, 5.0A, 261.0W,
XSG5226000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:52.2Vdc, 6.0A, 313.2W,
XSG5226500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:52.2Vdc, 6.5A, 339.3W,
XSG5226897	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:52.2Vdc, 6.897A, 360.0W,
XSG5464000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.6Vdc, 4.0A, 218.4W,
XSG5465000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.6Vdc, 5.0A, 273.0W,
XSG5466000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.6Vdc, 6.0A, 327.6W,
XSG5466500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.6Vdc, 6.5A, 354.9W,
XSG5466593	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.6Vdc, 6.593A, 360.0W,
XSG5484000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.8Vdc, 4.0A, 219.2W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG5485000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.8Vdc, 5.0A, 274.0W,
XSG5486000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.8Vdc, 6.0A, 328.8W,
XSG5486500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:54.8Vdc, 6.5A, 356.2W,
XSG5604000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:56.0Vdc, 4.0A, 224.0W,
XSG5605000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:56.0Vdc, 5.0A, 280W,
XSG5606000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:56.0Vdc, 6.0A, 336.0W,
XSG5606429	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:56.0Vdc, 6.429A, 360.0W,
XSG5804000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.0Vdc, 4.0A, 232.0W,
XSG5805000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.0Vdc, 5.0A, 290.0W,
XSG5806000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.0Vdc, 6.0A, 348.0W,
XSG5844000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.4Vdc, 4.0A, 233.6W,
XSG5845000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.4Vdc, 5.0A, 292.0W,
XSG5846000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.4Vdc, 6.0A, 350.4W,
XSG5884000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.8Vdc, 4.0A, 235.2W,
XSG5885000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.8Vdc, 5.0A, 294.0W,
XSG5886000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:58.8Vdc, 6.0A, 352.8W,
XSG6004000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:60.0Vdc, 4.0A, 240.0W,
XSG6005000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:60.0Vdc, 5.0A, 300.0W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG6006000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:60.0Vdc, 6.0A, 360.0W,
XSG6204000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:62.0Vdc, 4.0A, 248.0W,
XSG6205000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:62.0Vdc, 5.0A, 310.0W,
XSG6205806	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:62.0Vdc, 5.806A, 360.0W,
XSG6304000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:63.0Vdc, 4.0A, 252.0W,
XSG6304500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:63.0Vdc, 4.5A, 283.5W,
XSG6305000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:63.0Vdc, 5.0A, 315.0W,
XSG6305500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:63.0Vdc, 5.5A, 346.5W,
XSG6305714	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:63.0Vdc, 5.714A, 360.0W,
XSG6573500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:65.7Vdc, 3.5A, 229.95W,
XSG6574000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:65.7Vdc, 4.0A, 262.8W,
XSG6574500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:65.7Vdc, 4.5A, 295.65W,
XSG6575000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:65.7Vdc, 5.0A, 328.5W,
XSG6575480	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:65.7Vdc, 5.48A, 360.0W,
XSG6723500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:67.2Vdc, 3.5A, 235.2W,
XSG6724000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:67.2Vdc, 4.0A, 268.8W,
XSG6724500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:67.2Vdc, 4.5A, 302.4W,
XSG6725000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:67.2Vdc, 5.0A, 336.0W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG6725330	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:67.2Vdc, 5.33A, 358.176W,
XSG6943000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:69.4Vdc, 3.0A, 208.2W,
XSG6943500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:69.4Vdc, 3.5A, 242.9W,
XSG6944000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:69.4Vdc, 4.0A, 277.6W,
XSG6944500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:69.4Vdc, 4.5A, 312.3W,
XSG6945000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:69.4Vdc, 5.0A, 347.0W,
XSG6945180	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:69.4Vdc, 5.18A, 359.492W,
XSG7143000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:71.4Vdc, 3.0A, 214.2W,
XSG7143500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:71.4Vdc, 3.5A, 249.9W,
XSG7144000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:71.4Vdc, 4.0A, 285.6W,
XSG7144500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:71.4Vdc, 4.5A, 321.3W,
XSG7145000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:71.4Vdc, 5.0A, 357.0W,
XSG7303000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:73Vdc, 3.0A, 219.0W,
XSG7303500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:73Vdc, 3.5A, 255.5W,
XSG7304000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:73Vdc, 4.0A, 292.0W,
XSG7304500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:73Vdc, 4.5A, 328.5W,
XSG7304930	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:73Vdc, 4.93A, 359.89W,
XSG7563000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:75.6Vdc, 3.0A, 226.8W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG7563500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:75.6Vdc, 3.5A, 264.6W,
XSG7564000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:75.6Vdc, 4.0A, 302.4W,
XSG7564500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:75.6Vdc, 4.5A, 340.2W,
XSG7564750	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:75.6Vdc, 4.75A, 359.1W,
XSG7603000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:76.0Vdc, 3.0A, 228.0W,
XSG7603500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:76.0Vdc, 3.5A, 266.0W,
XSG7604000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:76.0Vdc, 4.0A, 304.0W,
XSG7604500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:76.0Vdc, 4.5A, 342.0W,
XSG7703000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:77.0Vdc, 3.0A, 231.0W,
XSG7703500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:77.0Vdc, 3.5A, 269.5W,
XSG7704000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:77.0Vdc, 4.0A, 308.0W,
XSG7704500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:77.0Vdc, 4.5A, 346.5W,
XSG7983000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:79.8Vdc, 3.0A, 239.4W,
XSG7983500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:79.8Vdc, 3.5A, 279.3W,
XSG7984000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:79.8Vdc, 4.0A, 319.2W,
XSG7984500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:79.8Vdc, 4.5A, 359.1W,
XSG8003000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.0Vdc, 3.0A, 240.0W,
XSG8003500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.0Vdc, 3.5A, 279.3W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG8004000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.0Vdc, 4.0A,320.0W,
XSG8004500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.0Vdc, 4.5A, 360.0W,
XSG8033000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.3Vdc, 3.0A, 240.9W,
XSG8033500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.3Vdc, 3.5A, 281.05W,
XSG8034000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.3Vdc, 4.0A,321.2W,
XSG8034480	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:80.3Vdc, 4.48A, 359.744W,
XSG8203000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:82.0Vdc, 3.0A, 246.0W,
XSG8203500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:82.0Vdc, 3.5A, 287.0W,
XSG8204000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:82.0Vdc, 4.0A,328.0W,
XSG8204390	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:82.0Vdc, 4.39A, 360.0W,
XSG8402000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:84.0Vdc, 2.0A, 168.0W,
XSG8403000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:84.0Vdc, 3.0A, 252.0W,
XSG8403500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:84.0Vdc, 3.5A, 294.0W,
XSG8404000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:84.0Vdc, 4.0A,336.0W,
XSG8404285	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:84.0Vdc, 4.285A, 360.0W,
XSG8762000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:87.6Vdc, 2.0A, 175.2W,
XSG8763000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:87.6Vdc, 3.0A, 262.8W,
XSG8763500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:87.6Vdc, 3.5A, 306.6W,



Proof of RCM Compliance

Cert.No.: POC23024623

Appendix -Model list

Model	Rating
XSG8764000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:87.6Vdc, 4.0A,350.4W,
XSG8802000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:88.0Vdc, 2.0A,176.0W,
XSG8803000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:88.0Vdc, 3.0A, 264.0W,
XSG8803500	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:88.0Vdc, 3.5A, 308.0W,
XSG8804000	Input:100-240VAC, 50/60Hz, 5.0A Max. Output:88.0Vdc, 4.0A,352.0W,